INDEX TO VOLUME 64, 1952

BY JEAN AND RICHARD GRABER

In addition to names of species and of authors, this index includes references to the following topics: bibliography, call-notes, census, conservation, dichromatism, displays, ecology, eggs, flight, homing, hybridism, injury-feigning, localities by state, province, and country, migration, molt, mortality, nesting, new forms, parasitism, polygamy, song, weights. Names of new forms described in this volume are in **boldface** type.

Acanthis brewsterii, 150
exilipes, 149
flammea, 124, 149, 150
hornemanni exilipes, 149
linaria, 149, 150
Accipiter cooperii, 143, 166
gentilis atricapillus, 143
striatus, 199
Accipitridae, 143, 234
Aechmolophus mexicanus, 119
Aegiothus flavirostris, 150
Aegolius a. acadicus, 222
Aëronautes saxatalis, 113
Agelaius phoeniceus, 22
Aimophila humeralis, 221
Aix sponsa, 112, 142
Alabama, 39, 41
Alaska, 209, 210
Alberta, 40, 41, 209, 210
Alca torda, 103, 105, 125
Alcedinidae, 236
Allee, W. C., and K. P. Schmidt. "Ecological Animal Geography" (reviewed), 54–55
Allen, Francis H. The song of the Alder Flycatcher, 107–109
Alperin, Irwin M. Swainson's Warbler in Prospect Park, Kings County, New York, 109–110
Amaurospiza relicta, 119
Amazilia beryllina, 221
fimbriata, 236
f. fimbriata, 69–79
leucogaster, 236
salvini, 145
tobaci erythronotos, 74, 75
tzacatl, 71, 74
violiceps, 221
v. conjuncta, 145
v. ellioti, 145
viridigula, 77
Amazona amazonica, 235
Ammodramus savannarum perpallidus,, 31
Aphelocoma, 170–172
Anas acuta tzitzihoa, 142, 143
americana, 142
boschas, 141, 142
breweri, 141
carolinensis, 142
crecca, 112, 124
cyanoptera, 142
discors, 142
obscura, 141
platyrhynchos, 90, 113, 114, 141, 142
rubripes, 26, 101, 141
strepera, 141, 142
Anatidae, 141, 234
Andes, 195
Anser albifrons frontalis, 26
a. gambelli, 141
Ant-birds, weights of, 237
Anthracothorax nigricollis, 77, 236
viridigula, 235
Anthus pratensis, 124
spinoletta alticola, 29
s. rubescens, 124
Apodidae, 235
Ara ararauna, 235
manilata, 235
nobilis, 235
Aramides cajanea, 234
Archilochus alexandri, 145
colubris, 173
Ardea cinerea, 45
herodias, 45, 163, 242
h. wardi, 141
o. occidentalis, 141
wurdemanni, 141
Ardeidae, 141, 234
Argentina, 93
Arizona, 131, 172–173
Arkansas, 16, 20, 22–25, 111
Asio f. flammeus, 124
otus wilsonianus, 222
Astur atricapillus, 143
Atlapetes pileatus, 120
Auk, Great, 124
Little, 125
Razor-billed, 103, 105, 125
Australia, 67
Automolus ochrolaemus, 237
Aythya, 243–244
americana, 114, 142, 143
collaris, 143, 244
marila nearctica, 26
valisineria, 112, 142

INDEX TO VOLUME 64, 1952

BY JEAN AND RICHARD GRABER

In addition to names of species and of authors, this index includes references to the following topics: bibliography, call-notes, census, conservation, dichromatism, displays, ecology, eggs, flight, homing, hybridism, injury-feigning, localities by state, province, and country, migration, molt, mortality, nesting, new forms, parasitism, polygamy, song, weights. Names of new forms described in this volume are in **boldface** type.

Acanthis brewsterii, 150
exilipes, 149
flammea, 124, 149, 150
hornemanni exilipes, 149
linaria, 149, 150
Accipiter cooperii, 143, 166
gentilis atricapillus, 143
striatus, 199
Accipitridae, 143, 234
Aechmolophus mexicanus, 119
Aegiothus flavirostris, 150
Aegolius a. acadicus, 222
Aëronautes saxatalis, 113
Agelaius phoeniceus, 22
Aimophila humeralis, 221
Aix sponsa, 112, 142
Alabama, 39, 41
Alaska, 209, 210
Alberta, 40, 41, 209, 210
Alca torda, 103, 105, 125
Alcedinidae, 236
Allee, W. C., and K. P. Schmidt. "Ecological Animal Geography" (reviewed), 54–55
Allen, Francis H. The song of the Alder Flycatcher, 107–109
Alperin, Irwin M. Swainson's Warbler in Prospect Park, Kings County, New York, 109–110
Amaurospiza relicta, 119
Amazilia beryllina, 221
fimbriata, 236
f. fimbriata, 69–79
leucogaster, 236
salvini, 145
tobaci erythronotos, 74, 75
tzacatl, 71, 74
violiceps, 221
v. conjuncta, 145
v. ellioti, 145
viridigula, 77
Amazona amazonica, 235
Ammodramus savannarum perpallidus,, 31
Aphelocoma, 170–172
Anas acuta tzitzihoa, 142, 143
americana, 142
boschas, 141, 142
breweri, 141
carolinensis, 142
crecca, 112, 124
cyanoptera, 142
discors, 142
obscura, 141
platyrhynchos, 90, 113, 114, 141, 142
rubripes, 26, 101, 141
strepera, 141, 142
Anatidae, 141, 234
Andes, 195
Anser albifrons frontalis, 26
a. gambelli, 141
Ant-birds, weights of, 237
Anthracothorax nigricollis, 77, 236
viridigula, 235
Anthus pratensis, 124
spinoletta alticola, 29
s. rubescens, 124
Apodidae, 235
Ara ararauna, 235
manilata, 235
nobilis, 235
Aramides cajanea, 234
Archilochus alexandri, 145
colubris, 173
Ardea cinerea, 45
herodias, 45, 163, 242
h. wardi, 141
o. occidentalis, 141
wurdemanni, 141
Ardeidae, 141, 234
Argentina, 93
Arizona, 131, 172–173
Arkansas, 16, 20, 22–25, 111
Asio f. flammeus, 124
otus wilsonianus, 222
Astur atricapillus, 143
Atlapetes pileatus, 120
Auk, Great, 124
Little, 125
Razor-billed, 103, 105, 125
Australia, 67
Automolus ochrolaemus, 237
Aythya, 243–244
americana, 114, 142, 143
collaris, 143, 244
marila nearctica, 26
valisineria, 112, 142

Baeolophus atricristatus, 147
a. sennetti, 147
bicolor, 147
Bahamas, 41, 42, 195
Baker, Bernard, and Emilie. Loggerhead Shrike with malformed bill, 161
Baker, Maurice F., review by, 55–56
Baldpate, 142
Bananivorus, 115
Barbets, weights of, 236
Barro Colorado Island, 98, 100
Bartramia longicauda, 49
Bastin, Eric Walter. Flight-speed of the Mourning Dove, 47
Bates, R. S. P., and E. H. N. Lowther. "Breeding Birds of Kashmir" (reviewed), 249–250
Batts, H. Lewis, Jr. Mourning Dove nests in unusual site, 114
Beecher, William J. *Pendulinus* a prior name for nectar-adapted orioles, 115
Behle, William H., review by, 122–124
Behle, William H., and Robert K. Selander. New and Additional Records of Utah Birds, 26–32
Bennett, Holly Reed. Fall Migration of Birds at Chicago, 197–219
Berger, Andrew J., review by, 248–249
Berger, Andrew J., and David F. Parmelee. The Alder Flycatcher in Washtenaw County, Michigan: Breeding Distribution and Cowbird Parasitism, 33–38
Biaggi, Virgilio. Northern Mockingbird on Mona Island, Puerto Rico, 161
Bibliography of Hybrid Birds, 151–159
Bill, obstruction of, 163–164
Bird Counts in Newfoundland and Labrador Waters, 102–103
Bissonnette, Thomas Hume. Obituary, 169
Blackbird, 247
Red-winged, 22
Rusty, 109
Yellow-headed, 49
Bluebird, 173
Bobolink, 161–162
Bobwhite, 144, 166
Bombycilla cedrorum, 29–30, 222–223
Booby, 106
Brackbill, Hervey. Birds becoming "caught" in flocks of other species, 44; Light intensity and waterfowl flight; pre-flight activities, 242–244
Brandt, Herbert. "Arizona and its Bird Life" (reviewed), 172–173
Brant, American, 141
Black, 141
Branta bernicla hrota, 141
b. nigricans, 141
canadensis, 102, 141
c. hutchinsi, 141
leucopsis, 106
Brazil, 69
Breckenridge, W. J. The President's Page, 4, 66, 130, 194
British Columbia, 209
British Honduras, 41
Brodkorb, Pierce. A New Rail from the Pleistocene of Florida, 80–82
Brotogeris chrysopterus, 235
Bucconidae, 236
Bucephala albeola, 243–244
clangula americana, 43–44, 143
islandica, 43–44
Bufflehead, 243, 244
Bunting, Indigo, 149
Lark, 31
Lazuli, 149
Leclancher's, 222
Snow, 103, 105
Burleigh, Thomas D., and Allen J. Duvall. A New Ovenbird from the Southeastern United States, 39–42
Busarellus nigricollis, 234
Buteo jamaicensis, 166
lineatus, 43
magnirostris, 79, 234
nitidus, 112, 234
swainsoni, 166

Cacicus cela, 240
Calamospiza melanocorys, 31
California, 83, 122–124
Callipepla gambeli, 144
squamata, 144
s. pallida, 144
Call-notes, Coot, 91–92
Calypte anna, 145
costae, 145
Campephilus, 5
Camptostoma obsoletum, 71, 73, 239
Campylopterus largipennis, 235
Canachites canadensis, 143
Canada, 39, 40, 41
Canvasback, 112, 142
Cape Horn, 195
Capella paraguaiae, 235
Cape May, 198, 205
Caprimulgidae, 235
Caprimulgus cayennensis, 235
nigrescens, 235
ridgwayi, 222
Capitonidae, 236
Capito niger, 236
Caracara, 113
Caracara cheriway, 113
Caribbean, 41
Carpodacus mexicanus, 164
purpureus, 149, 242
Caryothraustes canadensis, 241
Casmerodius albus, 160, 163

Catbird, 116
Cathartes aura, 48–49, 234, 242
urubitinga, 234
Cathartidae, 234
Celeus elegans, 237
flavus, 237
undatus, 237
Census, fall, 197
Central America, 5, 82
Centurus carolinus, 22
Cepphus grylle, 103, 105, 125
Certhia familiaris, 203, 204, 211–212
Ceryle torquata, 236
Chaetura brachyura, 235
pelagica, 133–139
spinicauda, 235
Charadriidae, 235
Charadrius collaris, 235
hiaticula semipalmatus, 235
Chelidoptera tenebrosa, 236
Chen caerulescens, 141
hyperborea, 141
rossii, 26
Chicago, 197–219
Chickadee, Black-capped, 146
Carolina, 7–21, 146
Mountain, 146
Chihuahua, 42, 112–113
Chile, 195
Chlorestes notatus, 236
Chloroceryle amazona, 132
americana, pl. opp. p. 131, 131–132
Chondestes grammacus, 223
Chondrohierax uncinatus, 234
Chordeiles acutipennis, 235
minor, 205
m. minor, 28
Chrysolampis mosquitus, 236
Circus brasiliensis, 234
Cissilopha, 120
Cistothorus platensis stellaris, 22–25
Clangula americana, 143
hyemalis, 101, 243
mergiformis, 143
Claravis pretiosa, 235
Clay, Theresa, see Rothschild, Miriam, and——
Coahuila, 112–113
Coccyzus erythropthalmus, 28, 113
Cockrum, E. Lendell. A Check-list and Bibliography of Hybrid Birds in North America North of Mexico, 140–159
Coereba flaveola, 240
Coerebidae, 240
Colaptes auratus, 105, 145, 146, 206
auratus luteus, 28, 146
ayresi, 145
cafer, 145, 146
c. collaris, 28, 142
chrysoides, 146
c. mearnsi, 146
collaris, 146
hybridus, 146
mexicanus, 146
Colinus californicus, 144
cristatus, 234
virginianus, 144, 166
Colopteryx galeatus, 239
Colorado, 44
Columba cayennensis, 235
f. fasciata, 27–28
livia, 44
speciosa, 235
subvinacea, 235
Columbidae, 235
Columbigallina passerina, 113, 235
Compsothlypis americana, 148
Conservation Section, 57–60, 126–128, 174–175
Cook County Forest Preserve, 174–175
Coot, American, 83–97, 113, 243–244
Black, 92–93, 94
Red-gartered, 93
Red-knobbed, 93
White-winged, 93
Coragyps atratus, 48–49, 112, 234
Cormorant, Olivaceous, pl. opp. p. 195, 195–196
Corn-Crake, 94
Corvus brachyrhynchos, 98, 115, 166
corax, 103, 106, 125
cryptoleucus, 114–115
Costa Rica, 41, 98
Cotinga cayana, 237
Cotingas, weights of, 237–238
Cotingidae, 98, 237
Cowbird, 33, 36, 37, 46–47, 231
Crane, Sandhill, 163
Whooping, 113
Creeper, Brown, 203, 204, 211–212
Crex crex, 94
Crocethia alba, 102, 104
Crotophaga major, 235
Crow, 98, 115, 127, 166
Cuba, 41
Cuckoo, Black-billed, 28, 113
European, 249
Cuckoos, weights of, 235
Cuculidae, 235
Cuculus canorus, 249
Cupidonia cupidinicolumbinus, 143
cupido, 143
Curlew, Hudsonian, 113
Cyanerpes caeruleus, 240
cyaneus, 240
Cyanocitta cristata, 106, 206
Cyanomyia salvini, 145
Cynanthus latirostris, 145
l. magicus, 145

Dafila acuta, 142, 143
Daptrius ater, 234
Delacour, Jean. "The Pheasants of the World" (reviewed), 53–54
Dendragapus obscurus, 143, 144
o. fuliginosus, 144
Dendrocincla fuliginosa, 237
Dendrocolaptidae, 237
Dendrocopos nuttalli, 146
pubescens, 146
Dendrocygna autumnalis, 112
Dendroica auduboni, 148
carbonata, 148
castanea, 148, 215, 218
coerulescens, 214
coronata, 148, 201, 204, 209, 212, 216, 217
dominica, 48, 49, 148
d. stoddardi, 49
fusca, 214, 215
magnolia, 215
occidentalis, 148
palmarum, 201, 204, 208–209, 212, 216, 217
pensylvanica, 215
petechia, 112, 213, 215, 218
pinus, 214
potomac, 48, 148
striata, 148, 215, 218
tigrina, 148, 215, 218
townsendi, 30, 148
virens, 215
Deroptyus accipitrinus, 235
Dexter, Ralph W. Extra-parental Cooperation in the Nesting of Chimney Swifts, 133–139
Dichromatism, 141
Dickcissel, 22, 149
Displays, of Coot, 83–90, pl. 85, photo. 87
District of Columbia, 40, 41
Dolichonyx oryzivorus, 161–162
Dove, Ground, 113
Mourning, 47, 114, 166
Rock, 44
White-winged, 131
Dovekie, 103, 105
Dowitcher, Long-billed, 27
Short-billed, 27
Dryobates nuttallii, 146
pubescens gairdnerii, 146
Duck, Baldpate, 142
Black, 26, 101, 141
Black-bellied Tree, 112
Bufflehead, 243–244
Canvasback, 112, 142
Gadwall, 141, 142
Goldeneye, 101
Goldeneye, American, 43–44, 143, 167
Goldeneye, Barrow's, 43–44
Harlequin, 101
Mallard, 90, 113, 114, 141, 142
Old-squaw, 101, 243
Pintail, 142, 143
Redhead, 114, 142, 143
Ring-necked, 143, 244
Ruddy, 86, 114, 243–244
Scaup, 114, 243–244
Scaup, Greater, 26
Shoveller, 114, 142
Teal, Black-headed, 45
Teal, Blue-winged, 142
Teal, Cinnamon, 142
Teal, Green-winged, 112, 214, 142
Widgeon, European, 142
Wood, 112, 142
Durango, 113
Duvall, Allen J., see Burleigh, Thomas D., and———

Eagle, Bald, 163
Ecology, 22–25
Egg, color-pattern, 249
Egret, American, 160, 163
Snowy, 160
Eider, Common, 102
King, 102, 143
Northern, 143
Eisenmann, Eugene. Olivaceous Cormorant, 195–196
Elaenia cristata, 239
flavivertex, 239
flavogaster, 239
gaimardii, 239
Elder, William H., and Charles M. Kirkpatrick. Predator Control in the Light of Recent Wildlife Management Concepts, 126–128
Ellis, Hazel R. Nesting Behavior of a Purple-throated Fruit-crow, 98–100
Emberiza townsendii, 149
Empidonax traillii, 33–38, 111–112, 230
t. alnorum, 109
t. traillii, 107–109
virescens, 22
Empidonomus varius, 238
England, 45
Erickson, John G. Birds seen on a trip to Laborador, 101–105; A possible hybrid between the Hooded Merganser and the Red-breasted Merganser, 167
Erolia alpina pacifica, 27
fuscicollis, 102, 104
maritima, 104
Eucometis penicillata, 240
Eudyptula minor, pl. opp. p. 67, 67–68
Euphagus carolinus, 109
Evenden, Fred G. Notes on Mexican bird distribution, 112–113

Falco albigularis, 113

columbarius, 113
mexicanus, 106
peregrinus, 101, 102, 113, 125, 234
rusticolus, 101, 106, 125
Falconidae, 234
Falcon, Peregrine, 101, 102, 113, 125, 234
Prairie, 106
White-throated, 113
Falcons, weights of, 234
Fieldfare, 124
Finches, weights of, 241
Finch, Black Rosy, 31
House, 164
Purple, 116, 149, 242
Fischer, Richard B. Little Blue Heron and Sandhill Crane in Central New York, 163
Fitch, H. S., review by, 55
Flicker, Gilded, 146
Hybrid, 28
Northern, 28
Red-shafted, 28, 145, 146
Yellow-shafted, 28, 105, 145, 206
Flight, habits, 44
pre-flight activity, 242–244
speed, 47
waterfowl, 242–244
Florida, 10, 17, 41, 42, 49, 80–82
Florida caerulea, 160, 163
Florisuga mellivora, 236
Fluvicola pica, 238
Flycatcher, Acadian, 22
Alder, 33–38, 107–109, 111–112, 230
Traill's, 33–38, 107–109, 111–112, 230
Flycatchers, Tyrant, weights of, 238–239
Formicariidae, 237
Formicivora grisea, 237
Fratercula arctica, 103, 105, 125
Frederickena viridis, 237
Freeman, F. J. Upland Plover and Yellow-headed Blackbird in the Chicago region, 49
Fregata, 106
Fringillidae, 149, 241
Fruit-crow, Purple-throated, 98–100
Fulica americana, 83–97, 113, 243–244
armillata, 93
atra, 92–93
cristata, 93
leucoptera, 93
Fuligula affinis, 143
americana, 143
collaris, 143
ferina, 142, 143
vallisneria, 142, 143
Fulmar, 101, 102
Fulmarus glacialis, 101, 102
Furnariidae, 237

Gadwall, 141, 142
Galbulidae, 236
Gallicrex cinerea, 94
Gallinula chloropus, 93
Gallinule, Black, 93, 94
Gannet, 102
Gavia, 102
Georgia, 10, 17, 39, 41
Geothlypis trichas, 215
Geranospiza caerulescens, 234
Glaucionetta clangula, 101, 167
islandica, 101
Glaucis hirsuta, 235
Gnatcatchers, weights of, 239
Goatsuckers, weights of, 235
Goldeneye, 101
American, 43–44, 143, 167
Barrow's, 43–44
Goose, Barnacle, 106
Blue, 141
Canada, 102, 141
Hutchins, 141
Ross's, 26
Snow, 141
Tule, 141
White-fronted, 26, 141
Goshawk, Eastern, 143
Grackle, Bronzed, 105–106, 149
Purple, 44, 148
Graduate Research in Ornithology, 60–63
Grebe, Great Crested, 45
Pied-billed, 243–244
Greenland, 104, 124, 125, 126
Greenshank, 248–249
Grosbeak, Black-headed, 149
Blue, 31, 149
Evening, 31
Pine, 149
Rose-breasted, 149
Grossenheider, Richard P., pl. opp. p. 67; Little Penguin, 67–68
Grouse, Dusky, 143, 144
Sharp-tailed, 143
Spruce, 143
Grus americana, 113
canadensis, 163
Guatemala, 5, 41
Guerrero, 113
Guiana, 69–79, 99, 233–241
Guillemot, Atlantic, 124
Black, 103, 105, 125
Brünnich's, 125
Guiraca caerulea, 149
c. interfusa, 31
Gull, Black-headed, 45
Bonaparte, 113
European Common, 45
Glaucous, 102, 104, 145
Great Black-backed, 103, 104
Herring, 103, 104
Iceland, 103, 104

Ivory, 105
Kumlien's, 144
Ring-billed, 45
Vega, 145
Gullion, Gordon W. The Displays and Calls of the American Coot, 83–97
Gunn, William W., and Henry S. Mosby. Preserve or Playground?, 57–60
Gymnoderus foetidus, 238
Gyrfalcon, 101, 106, 125

Hail damage, 166–167
Haiti, 40, 41
Haliaeetus leucocephalus, 163
Hausman, Leon A. "Beginner's Guide to Attracting Birds" (reviewed), 56–57
Haverschmidt, Fr. Notes on the Life History of Amazilia fimbriata in Surinam, 69–79; More Bird Weights from Suriman, 234–241
Hawk, Cooper's, 143, 166
Duck, 101, 102, 104
Gray, 112
Harris, 113
Pigeon, 113
Red-shouldered, 43
Red-tailed, 166
Sharp-shinned, 199
Swainson's, 166
Hawks, weights of, 234
Hedymeles ludovicianus, 149
melanocephalus papago, 149
Helicolestes hamatus, 234
Helminthophaga cincinnatiensis, 147, 148
lawrencei, 147
leucobronchialis, 147
pinus, 148
Helminthophila chrysoptera, 147
lawrencii, 147
pinus, 147
Helmitheros vermivorus, 110
Hemithraupis guira, 240
Henicorhina leucosticta, 239
Heron, Black-crowned Night, 106, 160
European Grey, 45
Great Blue, 45, 163, 242
Great White, 141
Little Blue, 160, 163
Ward's, 141
Herons, weights of, 234
Herpsilochmus stricturus, 237
Hesperiphona vespertina brooksi, 31
Heteronetta atricapilla, 45
Hidalgo, 112–113
Hirundinidae, 146, 239
Hirundo erythrogaster, 146
e. horreorum, 146
horreori, 146
horreori-lunifrons, 146
rustica, 173
r. erythrogaster, 146
Histrionicus histrionicus, 101
Homing ability, 46–47
Honey-creepers, weights of, 240
Hoploxypterus cayanus, 235
Howard, Len. "Birds as Individuals" (reviewed), 247–248
Howell, Thomas R., review by, 247–248
Hughes, Wallace. Snowy Egret and Little Blue Heron breeding in Oklahoma, 160
Hummingbird, Allen's, 145
Anna's, 145
Black-chinned, 145
Broad-billed, 145
Broad-tailed, 145
Calliope, 145
Costa's, 145
Lesson's Emerald, 69–79
Ruby-throated, 173
Rufus, 145
Violet-crowned, 145
Hummingbirds, weights of, 235–236
Hybridism, 140–159, 167
Hydropsalis climacocerca, 235
Hylocharis cyanus, 236
Hylocichla fuscescens salicicola, 29
guttata, 203, 204, 211–212, 216
g. guttata, 29
g. oromela, 29
g. slevini, 29
Hylophilus pectoralis, 239
Hypocnemis cantator, 237

Icteridae, 148, 161, 240
Icterus, 161
abeillei, 223
bullockii, 148, 149
chrysocephalus, 240
galbula, 47, 148, 149
nigrogularis, 240
parisorum, 31
Illinois, 49
India, 249–250
Indiana, 224–233
Injury-feigning, 94
Inter-specific tolerance, 105–106
Iridoprocne bicolor, 28, 146

Jacamars, weights of, 236
Jacamerops aurea, 236
Jamaica, 41
Jay, 170–172
Blue, 106, 206
Mexican, 120
Scrub, 120
Jones, Glenn. Hail damage to wildlife in southwest Oklahoma, 166–167
Junco aikeni, 150
c. caniceps, 150
c. dorsalis, 150
dorsalis, 150
hyemalis, 150, 203, 204, 210–211, 216, 218

h. cismontanus, 150
mearnsi, 150
oreganus, 150
o. dorsalis, 150
o. mearnsi, 150
o. montanus, 150
o. mutabilis, 150
o. pinosus, 150
o. thurberi, 150
phaeonotus, 150
Junco, Gray-headed, 150
Oregon, 150
Red-backed, 150
Slate-colored, 150, 203, 204, 210–211, 216, 218
White-winged, 150

Kansas, 7, 8, 10, 14, 19, 43–44, 114–115
Kashmir, 249–250
Kentucky, 41, 48–49
Kirkpatrick, Charles M., see Elder, William H., and ———
Kingbird, Eastern, 160
Kingfisher, Amazon, 132
Belted, 131, 132
Green, pl. opp. p. 131, 131–132
Ringed, 132
Kingfishers, weights of, 236
Kinglet, Golden-crowned, 29, 147, 203, 204, 211–212, 218, 242
Ruby-crowned, 147, 211, 230
Kittiwake, 103

Labrador, 101–105
Lagopus lagopus, 143
Lake Michigan, 199–219
Ontario, 206
Superior, 212, 217
Laniocera hypopyrrha, 237
Lanius ludovicianus, 161
Laridae, 144
Larus argentatus, 103 104
a. thayeri, 145
a. vegae, 145
canus, 45
delawarensis, 45
hyperboreus, 102, 104, 145
leucopterus, 103, 104, 145
l. kumlieni, 144, 145
marinus, 103, 104
nelsoni, 145
philadelphia, 113
ridibundus, 45
Laskey, Amelia R., review by, 122
Laterallus guti, 80-82
jamaicensis, 80, 81, 82
leucopyrrhus, 82
melanophaius, 82
ruber, 81, 82
viridis, 81, 82, 234
Leeward Islands, 41, 42
Leistes militaris, 240
Lepidocolaptes albo-lineatus, 237
Leptotila rufaxilla, 235
Leucophoyx thula, 160
Leucosticte atrata, 31
Library, Wilson Ornithological, 52, 118, 176–185, 241
Life history, Amazilia, 69–79
Light intensity, effects of, 242–244
Limnodromus griseus, 27
scolopaceus, 27
Limnothlypis swainsonii, 109–110
Lipaugus cineraceus, 237
Lophodytes cucullatus, 143, 167
Lophophanes bicolor, 146
Lophortyx californica, 144
c. californicus, 144
gambelii, 144
Louisiana, 10, 15, 41, 195
Lovell, Harvey B. Black Vulture depredations at Kentucky Woodlands, 48–49
Lowther, E. H. N., see Bates, R. S. P., and ———
Lunk, William A. Notes on Variation in the Carolina Chickadee, 7–21; reviews by, 56–57, 246–247

Mackenzie Basin, 210
Mallard, 90, 113, 114, 141, 142
Mallophaga, 246
Manacus manacus, 238
Manakins, weights of, 238
Manitoba, 212
Man-o-war-bird, 106
Mareca americana, 142
penelope, 142
Martin, Purple, 28, 172, 205
Maryland, 40, 41
Massachusetts, 36, 110
Mayfield, Harold. Nesting-height preference of the Eastern Kingbird, 160
McCabe, Robert A. Outdoor Education Cook County Style, 174–175
Meadowlark, Eastern, 148
Western, 45, 106–107, 148
Meanley, Brooke. Notes on the Ecology of the Short-billed Marsh Wren in the Lower Arkansas Rice Fields, 22–25; Notes on nesting Traill's Flycatcher in eastern Arkansas, 111–112
Megaceryle alcyon, 131
torquata, 132
Mehner, John F. Turkey Vultures attacking Great Blue Heron, 242
Melanerpes cruentatus, 234, 237
rubrifrons, 234, 237
Melanitta fusca, 101, 102
perspicillata, 101
Merganser, American, 126
Hooded, 143, 167
Red-breasted, 101, 167

Mergus serrator, 101, 167
Mexico, 5, 39, 41, 42, 112–113, 119, 131
Michigan, 33–38
Michoacán, 221–223
Micropalama himantopus, 27
Middle America, 81
Migration, barriers, 203, 206, 210
  fall, 197–219
  hawk, 198–199
  mortality, 242
  night, 198
Miller, Alden H. "An Analysis of the Distribution of the Birds of California" (reviewed), 122–124
Miller, Loye. Songs of the Western Meadowlark, 106–107
Milvago chimachima, 78, 234
Mimidae, 239
Mimodes graysoni, 119
Mimus gilvus, 239
  polyglottos, 161, 164
Minnesota, 167, 212
Mississippi, 41, 42
Mitchell, Harold D. Sutton's Warbler (*Dendroica potomac*) again observed in West Virginia, 47–48
Mniotilta varia, 30, 49, 215
Mockingbird, 161, 163
Mockingbirds, weights of, 239
Molothrus ater, 36, 37, 46–47
  bonariensis, 240
Molt, post-juvenal wing, 161–162
Monson, Gale, review by, 172–173
Montana, 40
Mortality, winter, 164–166
Morus bassanus, 102
Mosby, Henry S., see Gunn, William W., and ———
Motacilla aurocapillus, 40
  a. alba, 124
Myiarchus ferox, 238
Myiobius barbatus, 238
Myiodynastes maculatus, 238
Myiophobus fasciatus, 238
Myospiza humeralis, 241
Myrmeciza ferruginea, 237
Myrmoborus leucophrys, 237
Myrmotherula axillaris, 237
  brachyura, 237
Mumford, Russell E. Bell's Vireo in Indiana, 224–233
Murre, Atlantic, 103, 105
  Brünnich's, 103, 105

Nebraska, 42
Nemosia pileata, 240
Neochloe brevipennis, 119
Neopelma chrysocephalum, 238
Nesting behavior, 98–100
  Bell's Vireo, 228
  Chimney Swift, 133–139
  height preference, 160
  Mourning Dove, 114
  Red-shouldered Hawk, 43
  Traill's Flycatcher, 111–112
  White-necked Raven, 114–115
Nethersole-Thompson, Desmond. "The Greenshank" (reviewed), 248–249
Nettion carolinensis, 142
New England, 199
Newfoundland, 39, 40, 41, 101–105
New species, 80–82
New subspecies, 39–42
New York, 109, 162, 163
New Zealand, 67
Nice, Margaret M., review by, 120–121
Nighthawk, 205
  Eastern, 28
Nomonyx dominicus, 234
North Carolina, 41, 42
North Dakota, 40
Nova Scotia, 40, 41
Nuevo Leon, 41
Numenius phaeopus, 113
Nyctea scandiaca, 103, 125
Nyctibiidae, 235
Nyctibius grandis, 235
Nycticorax nycticorax, 106, 160

Obituaries, 51–52, 168
Oceanites oceanicus, 102
Odontophorus gujanensis, 234
Ohio, 10, 36, 37, 41, 114, 164
Oklahoma, 7, 8, 10, 14, 15, 16, 19, 20, 160, 166
Old-squaw, 101, 243
Ontario, 41
Oporornis agilis, 214
  formosus, 147, 148, 214
  philadelphia, 148, 214
Oreopeleia montana, 235
Oreortyx picta, 144
  pictus plumiferous, 144
Oriole, Abeille's, 223
  Baltimore, 47, 148
  Bullock's, 148
  Scott's, 31
Oryzoborus angolensis, 241
Osprey, 106
Ovenbird, 39–42, 215
Ovenbirds, weights of, 237
Otus choliba crucigerus, 235
Owl, Acadian Saw-whet, 222
  American Long-eared, 222
  Barn, 164–166
  Short-eared, 124
  Snowy, 103, 125, 285
Owls, weights of, 235
Oxyura jamaicensis, 86, 114, 243–244

Pachyramphus marginatus, 238
  polychopterus, 238

rufus, 237
Pagophila eburnea, 105
Panamá, 5, 41, 98, 131, 195
Pandion haliaetus, 106
Parabuteo unicinctus, 113
Parasitism, Black-headed Teal, 45
Cowbird, 33, 36, 37, 231–232
Paridae, 146
Parkes, Kenneth C. Post-juvenal wing molt in the Bobolink, 161–162
Parmelee, David F., see Berger, Andrew J., and ———
Parrots, weights of, 235
Parula americana, 23, 48, 148, 214
Parulidae, 147, 240
Parus atricapillus, 108, 146
atricristatus, 147
a. castaneifrons, 147
bicolor, 146, 147
b. texensis, 147
carolinensis, 7–21, 146
c. agilis, 18–19, 21
c. atricapilloides, 19, 21
c. carolinensis, 17, 21
c. extimus, 16–17, 21
c. impiger, 17, 21
gambeli, 146
major, 247
Passer domesticus, 105–106
Passerella iliaca, 203, 204, 210–211, 216, 218
Passerina amoena, 149
cyanea, 149
leclancheri, 222
Pediocetes phasianellus, 143, 144
p. campestris, 143, 144
p. columbianus, 143
Pelecanidae, 234
Pelecanus occidentalis, 234
Pelicans, weights of, 234
Pendulinus, 115
Penguin, Blue, 67
Fairy, 67
Little, pl. opp. p. 67, 67–68
Pennsylvania, 40, 41
Perenostola rufifrons, 237
Periglossa tigrina, 148
Peters, James Lee. Obituary, 168
Petrel, Wilson's, 102
Petrochelidon lunifrons, 146
pyrrhonota, 146
Phaeomyias murina, 239
Phaeoprogne tapera, 239
Phaethornis longuemareus, 236
superciliosus, 236
Phalacrocorax auritus, 195
brasilianus, 196
carbo, 195
olivaceus, pl. opp. p. 195, 195–196
Phasianidae, 144, 234
Phasianus colchicus, 144
c. torquatus, 144
torquatus, 144
Pheasant, Ijima's Copper, 53
Ring-necked, 144
Pheucticus ludovicianus, 149
melanocephalus, 149
Phillips, Allan R., review by, 170–172
Philohela minor, 198
Philydor pyrrhodes, 237
Phlococeastes guatemalensis, 5–6
g. regius, frontispiece, 5
melanoleucos, 237
rubricollis, 237
Phoebe, Black, 88
Piaya cayana, 235
Picidae, 145, 237
Piculus flavigula, 237
Pigeon, Band-tailed, 27–28
Pigeons, weights of, 235
Pilherodius pileatus, 234
Pinguinus impennis, 124
Pinicola enucleator leucura, 149
Pintail, 142, 143
Pionus fuscus, 235
Pipilo rutilus, 119
Pipit, American Water, 124
Meadow, 124
Rocky Mountain, 29
Pipra aureola, 238
erythrocephala, 238
pipra, 238
Pipridae, 238
Pipromorpha macconnelli, 239
oleaginea, 239
Piranga ludoviciana, 149, 223
olivacea, 149
rubra, 149
Pitelka, Frank A., review by, 119–120; "Speciation and Ecologic Distribution in American Jays of the Genus Aphelocoma" (reviewed), 170–172
Platypsaris minor, 238
Plautus alle, 103, 105
Plectrophenax nivalis, 103, 105
Pleistocene, 80–82
Plotus alle, 125
Plover, Golden, 124
Upland, 49
Plovers, weights of, 235
Pluvialis apricaria, 124
dominica, 124
Podilymbus podiceps, 243–244
Point Pelee, 57–60
Polioptila plumbea, 239
Polygamous birds, 248
Pooecetes gramineus affinis, 31
Porphyrio poliocephalus, 94
Potoos, weights of, 235

Prairie Chicken, 111, 143, 144
Predator control, 126–128
Preston, F. W. Harrying of herons by gulls—a further note, 45
Progne chalybea, 239
subis, 205, 239
s. oberholseri, 172
s. subis, 28
Protonotaria citrea, 214
Psilorhinus, 120
Psittacidae, 235
Psittacosis, 116
Ptarmigan, Willow, 143
Pteroglossus aracari, 236
viridis, 236
Puebla, 131
Puerto Rico, 41, 161
Puff-birds, weights of, 236
Puffin, 125
Atlantic, 103, 105
Puffinus tenuirostris, 67
Pygiptila stellaris, 237
Pyranga erythromelas, 149
rubra, 149

Quail, 234
California, 144
Gambel's 144
Plumed, 144
Scaled, 144
Quebec, 36
Querquedula cyanoptera, 142
discors, 142
Querula purpurata, 98–100, 238
Quintana Roo, 39, 41
Quiscalus aeneus, 149
quiscula, 44, 105–106, 149
q. aeneus, 149
q. ridgwayi, 149
q. stonei, 149
versicolor, 149

Rail, Clapper, 94
King, 22
Pleistocene, 80–82
Virginia, 94
Rails, weights of, 234
Rallidae, 94, 234
Rallus aquaticus, 94
elegans, 22
limicola, 94
longirostris, 94
Ramphocelus carbo, 240
Rand, A. L., and R. M. Closely associated nests of Bronzed Grackle and English Sparrow, 105–106
Raven, 103, 106, 125
White-necked, 114–115
Redhead, 114, 142, 143
Redpoll, Common, 149, 150
Greenland, 124
Hoary, 149
Hornemann's, 124
Redstart, American, 148, 214, 215
Northern, 30–31
Red-wing, 22
Reed-Hen, Blue, 94
Regulus calendula, 147, 211, 230
cuvieri, 147
satrapa, 147, 203, 204, 211–212, 218, 242
s. olivaceus, 29
Reinarda squamata, 235
Research, Ornithological, 60–63
Rhamphastidae, 236
Rhamphastos swainsonii, 100
tucanus, 236
vitellinus, 236
Rhamphocaenus melanurus, 239
Rhamphotrigon ruficauda, 239
Rhynchocyclus olivaceus, 239
Ripley, S. Dillon, reviews by, 53–54, 249–250
Rissa tridactyla, 103
Robin, 105, 106, 114, 116, 242
Rocky Mountains, 39, 40
Rogers, K. T. Female Cowbird hung in an old nest of Baltimore Oriole, 47
Root, Oscar M. Clay-colored Sparrow in Massachusetts, 110–111
Rothschild, Miriam, and Theresa Clay. "Fleas, Flukes and Cuckoos . . . . A Study of Bird Parasites" (reviewed), 246–247

Salomonsen, Finn. "Grønlands Fugle." The Birds of Greenland (reviewed), 124–126
Saltator coerulescens, 241
Sanderling, 102, 104
Sandpiper, Purple, 104
Red-backed, 27
Solitary, 26–27
Stilt, 27
White-rumped, 102, 104
Sandpipers, weights of, 235
San Luis Potosi, 6, 112–113
Sapsucker, Red-naped, 28
Yellow-bellied, 242
Saskatchewan, 41
Sayornis nigricans, 88
Scaup, 114, 243–244
Greater, 26
Schiffornis turdinus, 238
Schistochlamys melanopis, 240
Schmidt, K. P., see Allee, W. C., and ——
Schorger, A. W. Ducks killed during a storm at Hot Springs, South Dakota, 113–114
Schwilling, Marvin D. Breeding status of White-necked Raven in Kansas, 114–115
Sclerurus rufigularis, 237

Scolopacidae, 235
Scoter, Surf, 101
White-winged, 101, 102
Seiurus aurocapillus, 215
a. aurocapillus, 39, 40, 41
a. canivirens, 39-42
a. cinereus, 39, 40
a. furvior, 39, 41
motacilla, 214
noveboracensis, 215
n. limnaeus, 30
n. notabilis, 30
Selander, Robert K., see Behle, William H., and ———
Selasphorus alleni, 145
floresii, 145
platycercus, 145
rufus, 145
sasin, 145
Setophaga ruticilla, 148, 214, 215
r. tricolora, 30-31
Shearwater, Short-tailed, 67
Sherman, Althea R. "Birds of an Iowa Dooryard" (reviewed), 173
Shoveller, 114, 142
Shrike, Loggerhead, 161
Sialia sialis, 173
Sinaloa, 41, 42
Siskin, Pine, 150
Smaragdites theresiae, 236
Smith, Thomas P. Nest of Red-shouldered Hawk with six eggs, 43
Snyder, L. L. Letter to the Editor, 285
Somateria mollissima, 102
m. borealis, 143
spectabilis, 102, 143
Song, Alder Flycatcher, 107-109
Bell's Vireo, 230
Western Meadowlark, 106-107
Sooter, Clarence A. Western Meadowlark attacks ground squirrel, 45
South America, 81, 82, 93, 98
South Carolina, 39
South Dakota, 113
Sparrow, Brewer's, 150
Clay-colored, 110, 150
English, 105-106
Fox, 203, 204, 210-211, 216, 218
Golden-crowned, 32, 150
Grasshopper, Western, 31
Harris's, 31
Lark, 223
Tree, 203, 204, 210-211, 218
Vesper, 31
White-crowned, 150, 210
White-throated, 150, 203, 204, 210-211, 216
Spatula clypeata, 114, 142
Sphyrapicus varius, 28, 242
Spinus pinus, 150
Spiza americana, 22, 149
Spizella arborea, 203, 204, 210-211, 218
breweri, 150
pallida, 110, 150
Sporophila castaneiventris, 241
minuta, 241
plumbea, 241
Stallcup, William B. The status of Barrow's Goldeneye in Kansas, 43-44
Starling, 44, 106
Stellula calliope, 145
Stewart, Paul A. Winter mortality of Barn Owls in central Ohio, 164-166
Stoner, Emerson A. Obstruction on the bill of a Mockingbird, 163-164
Streptoprocne zonaris, 113
Stresemann, Erwin. "The Development of Ornithology" (Die Entwicklung der Ornithologie) (reviewed), 120-121
Strigidae, 235
Sturnella magna, 148, 240
m. magna, 148
m. neglecta, 148
neglecta, 45, 106-107, 148
Sturnus vulgaris, 44, 106
Sula, 106
Surinam, 69-79, 99, 233-241
Sutton, George Miksch. The Flint-billed Woodpecker, 5-6; Stoddard's Yellow-throated Warbler in Bay County, Florida, 49; "Mexican Birds" (reviewed), 119-120; New Birds for the State of Michoacan, Mexico, 221-223; review by, 124-126; pls. opp. pp. 5, 131, 195
Swallow, Barn, 146, 173
Cliff, 146
Tree, 28, 146
Violet-green, 28
Swallows, weights of, 239
Swift, Chimney, 133-139
White-collared, 113
White-throated, 113
Swifts, weights of, 235
Sylvia carbonata, 148
Sylviidae, 147, 239
Synallaxis albescens, 237
Syrmaticus soemmerringi ijimae, 53
s. soemmerringi, 54

Tabasco, 41
Tachycineta bicolor, 146
thalassina, 28
Tachyphonus cristatus, 240
phoenicius, 240
Tamaulipas, 5, 6, 112-113, 131, 221-222
Tanager, Scarlet, 149
Summer, 149
Western, 149, 223
Tanagers, weights of, 240
Tanagra violacea, 240

cayana, 240
Tasmania, 67
Taylor, Rose Schuster (Mrs. Henry James Taylor), Obituary, 51–52
Teal, Black-headed, 45
Blue-winged, 142
Cinnamon, 142
Green-winged, 112, 124, 142
Tennessee, 41
Tetraonidae, 143, 144
Texas, 7, 10, 18, 19, 131, 195, 199
Thamnophilus murinus 237
Thomas, Ruth, "Crip, Come Home" (reviewed), 121–122; review by, 173
Thrasher, Brown, 121–122, 173
Thraupidae, 149, 240
Thraupis episcopus, 240
Thrush, Alaska Hermit, 29
Hermit, 203, 204, 211–212, 216
Monterey Hermit, 29
Willow, 29
Thrushes, weights of, 239
Thryothorus coraya, 239
leucotis, 239
ludovicianus, 23, 119
Tit, Great, 247
Titmouse, Black-crested, 147
Tufted, 146–147
Todirostrum chrysocrotaphum, 239
cinereum, 239
maculatum, 239
Tolmomyias flaviventris, 238
poliocephalus, 238
sulphurescens, 238
Toucan, 98
Chestnut-mandibled, 100
Toucans, weights of, 236
Toxostoma rufum, 121–122, 173
Tringa flavipes, 235
melanoleuca, 235
nebularia, 248–249
solitaria cinnamomea, 27
s. solitaria, 26–27
Trinidad, 74
Trochilidae, 145, 235
Trochilus alexandri, 145
violajugulum, 145
Troglodytes aëdon, 106, 173
musculus, 239
troglodytes, 242
Troglodytidae, 239
Trogonidae, 236
Trogons, weights of, 236
Trogon strigilatus, 236
violaceus, 236
Troupials, weights of, 240
Turdidae, 239
Turdus leucomelas, 79, 239
merula, 247
migratorius, 105, 106, 114, 242
nudigenis, 239
pilaris, 124
Tympanuchus americanus, 143, 144
cupido, 111, 143, 144
c. americanus, 144
Tyrannidae, 238
Tyrannulus elatus, 239
Tyrannus dominicensis, 238
tyrannus, 160, 162
Tyto alba, 164–166

Uranomita salvini, 145
Uria aalge, 103, 105
a. aalge, 124
lomvia, 103, 105, 125
Utah, 26

Venezuela, 69
Veniliornis cassini, 237
Veracruz, 41, 132
Vermivora celata, 214
c. celata, 30
chrysoptera, 147, 214
crissalis, 223
lawrencei, 147
leucobronchialis, 147
peregrina, 215
pinus, 147, 148
ruficapilla, 215, 218
Vireo bairdi, 119
bellii, 224–233
griseus, 230
olivaceus, 106
solitarius plumbeus, 30
Vireo, Bell's, 224–233
Plumbeous, 30
Red-eyed, 106
White-eyed, 230
Vireonidae, 239
Vireos, weights of, 239
Virginia, 39, 40, 41
Virgin Islands, 41, 42
Volatinia jacarina, 241
Vulture, Black, 48–49, 112
Turkey, 48–49, 242

Wade, Douglas E. Mortality of migrating birds at Mt. Washington, New Hampshire, 242
Wagtail, White, 124
Warbler, Audubon's, 148
Bay-breasted, 148, 215, 218
Black and White, 30, 49, 215
Blackburnian, 214, 215
Black-poll, 148, 215, 218
Black-throated Blue, 214
Black-throated Green, 215
Blue-winged, 147, 148
Brewster's, 147
Canada, 214
Cape May, 148, 215, 218

Chestnut-sided, 215
Colima, 223
Connecticut, 214
Golden-winged, 147, 214
Hermit, 148
Kentucky, 147, 214
Lawrence's, 147
Magnolia, 215
Mourning, 148, 214
Myrtle, 148, 201, 204, 209, 212, 216, 217
Nashville, 215, 218
Orange-crowned, 30, 214
Palm, 201, 204, 208–209, 212, 216, 217
Parula, 23, 48, 148, 214
Pine, 214
Prothonotary, 214
Sutton's, 47–48
Swainson's, 109–110
Tennessee, 215
Townsend, 148
Wilson's, 215, 218
Worm-eating, 110
Yellow, 112, 213, 215, 218
Yellow-throated, 48, 49, 148
Warner, Dwain W. The Green Kingfisher, 131–132
Water-Cock, 94
Water-Hen, 93
Water-Rail, 94
Water-thrush, Louisiana, 214
Northern, 30, 215
Waxwing, Cedar, 29–30, 222–223
Weather, 166–167
and migration, 198–219
Weights of Birds, 234–241
West Indies, 39
West Virginia, 10, 14, 15, 39, 41, 42, 47–48
Widgeon, European, 142
Wilson Ornithological Club, Annual Meeting, 186–192, 250; Committees, 244, 250, 285; Library, 52, 118, 176–185, 241; Membership Roll, 252–285; New Life Members, 63, 169, 233; Officers, 251; Treasurer's Report, 116–118
Wilsonia canadensis, 214
pusilla, 215, 218
Wood, Harold B. Homing ability of female Cowbirds, 46–47
Woodcock, 198
Wood-hewers, weights of, 237
Woodpecker, Downy, 146
Flint-billed, pl. opp. p. 5, 5–6
Guatemalan Ivory-bill, 5–6
Nuttall's, 146
Red-bellied, 22
Woodpeckers, weights of, 237
Wood Warblers, weights of, 240
Wren, Berlandier's, 119
Carolina, 23, 119
House, 106, 173
Short-billed Marsh, 22–25
Winter, 242
Wrens, weights of, 239

Xanthocephalus xanthocephalus, 49
Xanthornus decumanus, 240
Xenospiza baileyi, 119
Xipholena, 237
Xiphorhynchus guttatus, 237

Yellow-throat, Northern, 215
Yocom, Charles F. "Waterfowl and Their Food Habits in Washington" (reviewed), 55–56
Yucatán, 42

Zacatecas, 112, 113
Zenaida asiatica, 131
Zenaidura macroura, 47, 114, 166
Zonotrichia albicollis, 150, 203, 204, 210–211, 216
coronata, 32, 150
leucophrys, 150, 210
querula, 31

This number of *The Wilson Bulletin* was published on January 14, 1953